

# Package ‘scry’

May 16, 2025

**Title** Small-Count Analysis Methods for High-Dimensional Data

**Version** 1.21.0

**Description** Many modern biological datasets consist of small counts that are not well fit by standard linear-Gaussian methods such as principal component analysis. This package provides implementations of count-based feature selection and dimension reduction algorithms. These methods can be used to facilitate unsupervised analysis of any high-dimensional data such as single-cell RNA-seq.

**License** Artistic-2.0

**Depends** R (>= 4.0), stats, methods

**Imports** DelayedArray, glmPCA (>= 0.2.0), Matrix, SingleCellExperiment, SummarizedExperiment, BiocSingular

**Suggests** BiocGenerics, covr, DuoClustering2018, ggplot2, HDF5Array, knitr, markdown, rmarkdown, TENxPBMCDData, testthat

**VignetteBuilder** knitr

**LazyData** false

**URL** <https://bioconductor.org/packages/scry.html>

**BugReports** <https://github.com/kstreet13/scry/issues>

**RoxygenNote** 7.2.2

**Encoding** UTF-8

**biocViews** DimensionReduction, GeneExpression, Normalization, PrincipalComponent, RNASeq, Software, Sequencing, SingleCell, Transcriptomics

**git\_url** <https://git.bioconductor.org/packages/scry>

**git\_branch** devel

**git\_last\_commit** 6db3cd0

**git\_last\_commit\_date** 2025-04-15

**Repository** Bioconductor 3.22

**Date/Publication** 2025-05-15

**Author** Kelly Street [aut, cre],  
F. William Townes [aut, cph],  
Davide Risso [aut],  
Stephanie Hicks [aut]

**Maintainer** Kelly Street <[street.kelly@gmail.com](mailto:street.kelly@gmail.com)>

## Contents

devianceFeatureSelection . . . . .	2
GLMPCA . . . . .	3
nullResiduals . . . . .	4
<b>Index</b>	<b>7</b>

---

devianceFeatureSelection

*Feature selection by approximate multinomial deviance*

---

### Description

Computes a deviance statistic for each row feature (such as a gene) for count data based on a multinomial null model that assumes each feature has a constant rate. Features with large deviance are likely to be informative. Uninformative, low deviance features can be discarded to speed up downstream analyses and reduce memory footprint.

### Usage

```
devianceFeatureSelection(object, ...)
```

```
## S4 method for signature 'SummarizedExperiment'
```

```
devianceFeatureSelection(
  object,
  assay = "counts",
  fam = c("binomial", "poisson"),
  batch = NULL,
  nkeep = NULL,
  sorted = FALSE
)
```

```
## S4 method for signature 'matrix'
```

```
devianceFeatureSelection(object, fam = c("binomial", "poisson"), batch = NULL)
```

```
## S4 method for signature 'Matrix'
```

```
devianceFeatureSelection(object, fam = c("binomial", "poisson"), batch = NULL)
```

```
## S4 method for signature 'DelayedArray'
```

```
devianceFeatureSelection(object, fam = c("binomial", "poisson"), batch = NULL)
```

### Arguments

object	an object inheriting from <a href="#">SummarizedExperiment</a> (such as <a href="#">SingleCellExperiment</a> ). Alternatively, a matrix or matrix-like object (such as a sparse <a href="#">Matrix</a> ) of non-negative integer counts.
...	for the generic, additional arguments to pass to object-specific methods.
assay	a string or integer specifying which assay contains the count data (default = 'counts'). Ignored if object is a matrix-like object.

fam	a string specifying the model type to be used for calculating the residuals. Binomial (the default) is the closest approximation to multinomial, but Poisson may be faster to compute and often is very similar to binomial.
batch	an optional factor indicating batch membership of observations. If provided, the null model is computed within each batch separately to regress out the batch effect from the resulting deviance statistics.
nkeep	integer, how many informative features should be retained? Default: all features are retained if set to NULL. Ignored if object is a matrix-like object.
sorted	logical, should the object be returned with rows sorted in decreasing order of deviance? Default: FALSE, unless nkeep is specified, in which case it is forced to be TRUE. Ignored for matrix-like inputs.

### Details

In a typical single-cell analysis, many of the features (genes) may not be informative about differences between observations (cells). Feature selection seeks to identify which genes are the most informative. We define an informative gene as one that is poorly fit by a multinomial model of constant expression across cells within each batch. We compute a deviance statistic for each gene. Genes with high deviance are more informative.

### Value

The original `SingleCellExperiment` or `SummarizedExperiment` object with the deviance statistics for each feature appended to the `rowData`. The new column name will be either `binomial_deviance` or `poisson_deviance`. If the input was a matrix-like object, output is a numeric vector containing the deviance statistics for each row.

### References

Townes FW, Hicks SC, Aryee MJ, and Irizarry RA (2019). Feature Selection and Dimension Reduction for Single Cell RNA-Seq based on a Multinomial Model. *Genome Biology* <https://doi.org/10.1186/s13059-019-1861-6>

### Examples

```
ncells <- 100
u <- matrix(rpois(20000, 5), ncol=ncells)
sce <- SingleCellExperiment::SingleCellExperiment(assays=list(counts=u))
devianceFeatureSelection(sce)
```

---

GLMPCA

*Generalized principal components analysis for non-normally distributed data*

---

### Description

This function implements the GLM-PCA dimensionality reduction method for high-dimensional count data. This is a wrapper for [glmPCA](#).

**Usage**

```

GLMPCA(object, ...)

## S4 method for signature 'SummarizedExperiment'
GLMPCA(object, L, assay = "counts", ...)

## S4 method for signature 'matrix'
GLMPCA(object, L, ...)

## S4 method for signature 'Matrix'
GLMPCA(object, L, ...)

```

**Arguments**

object	A <a href="#">SingleCellExperiment</a> or <a href="#">SummarizedExperiment</a> object. Alternatively, a matrix-like object of non-negative integer counts (such as a sparse <a href="#">Matrix</a> ).
...	further arguments passed to <a href="#">glm_pca</a>
L	the desired number of latent dimensions (integer).
assay	a character or integer specifying which assay to use for GLM-PCA (default = 'counts'). Ignored if object is a matrix.

**Value**

The original [SingleCellExperiment](#) or [SummarizedExperiment](#) object with the GLM-PCA results added to the metadata slot. If the original input was a [SingleCellExperiment](#), then a new `reducedDim` element called "GLMPCA" will be added, representing the GLM-PCA factors. If the input was a matrix, output matches that of [glm\\_pca](#).

**Examples**

```

ncells <- 100
u <- matrix(rpois(20000, 5), ncol=ncells)
sce <- SingleCellExperiment::SingleCellExperiment(assays=list(counts=u))
GLMPCA(sce, L = 2)

```

---

nullResiduals

*Residuals from an approximate multinomial null model*


---

**Description**

Computes deviance or Pearson residuals for count data based on a multinomial null model that assumes each feature has a constant rate. The residuals matrix can be analyzed with standard PCA as a fast approximation to GLM-PCA.

**Usage**

```

nullResiduals(object, ...)

## S4 method for signature 'SummarizedExperiment'
nullResiduals(
  object,
  assay = "counts",
  fam = c("binomial", "poisson"),
  type = c("deviance", "pearson"),
  batch = NULL
)

## S4 method for signature 'SingleCellExperiment'
nullResiduals(
  object,
  assay = "counts",
  fam = c("binomial", "poisson"),
  type = c("deviance", "pearson"),
  batch = NULL
)

## S4 method for signature 'matrix'
nullResiduals(
  object,
  fam = c("binomial", "poisson"),
  type = c("deviance", "pearson"),
  batch = NULL
)

## S4 method for signature 'Matrix'
nullResiduals(
  object,
  fam = c("binomial", "poisson"),
  type = c("deviance", "pearson"),
  batch = NULL
)

## S4 method for signature 'ANY'
nullResiduals(
  object,
  fam = c("binomial", "poisson"),
  type = c("deviance", "pearson"),
  batch = NULL
)

```

**Arguments**

**object** The object on which to compute residuals. It can be a matrix-like object (e.g. matrix, Matrix, DelayedMatrix, HDF5Matrix) with genes in the rows and samples in the columns. Specialized methods are defined for objects inheriting from [SummarizedExperiment](#) (such as [SingleCellExperiment](#)).

**...** for the generic, additional arguments to pass to object-specific methods.

assay	a string or integer specifying which assay contains the count data (default = 'counts'). Ignored if object is a matrix.
fam	a string specifying the model type to be used for calculating the residuals. Binomial (the default) is the closest approximation to multinomial, but Poisson may be faster to compute and often is very similar to binomial.
type	should deviance or Pearson residuals be used?
batch	an optional factor indicating batch membership of observations. If provided, the null model is computed within each batch separately to regress out the batch effect from the resulting residuals.

### Details

This function should be used only on the un-normalized counts. It was originally designed for single-cell RNA-seq counts obtained by the use of unique molecular identifiers (UMIs) and has not been tested on read count data without UMIs or other data types.

Note that even though sparse Matrix objects are accepted as input, they are internally coerced to dense matrix before processing, because the output is always a dense matrix since the residuals transformation is not sparsity preserving. To avoid memory issues, it is recommended to perform feature selection first and subset the number of features to a smaller size prior to computing the residuals.

### Value

The original `SingleCellExperiment` or `SummarizedExperiment` object with the residuals appended as a new assay. The assay name will be `fam_type_residuals` (eg, `binomial_deviance_residuals`). If the input was a matrix, output is a dense matrix containing the residuals.

### References

Townes FW, Hicks SC, Aryee MJ, and Irizarry RA (2019). Feature Selection and Dimension Reduction for Single Cell RNA-Seq based on a Multinomial Model. *Genome Biology* <https://doi.org/10.1186/s13059-019-1861-6>

### Examples

```
ncells <- 100
u <- matrix(rpois(20000, 5), ncol=ncells)
sce <- SingleCellExperiment::SingleCellExperiment(assays=list(counts=u))
nullResiduals(sce)
```

# Index

devianceFeatureSelection, [2](#)  
devianceFeatureSelection,DelayedArray-method  
    (devianceFeatureSelection), [2](#)  
devianceFeatureSelection,Matrix-method  
    (devianceFeatureSelection), [2](#)  
devianceFeatureSelection,matrix-method  
    (devianceFeatureSelection), [2](#)  
devianceFeatureSelection,SummarizedExperiment-method  
    (devianceFeatureSelection), [2](#)

GLMPCA, [3](#)  
glmPCA, [3](#), [4](#)  
GLMPCA,Matrix-method (GLMPCA), [3](#)  
GLMPCA,matrix-method (GLMPCA), [3](#)  
GLMPCA,SummarizedExperiment-method  
    (GLMPCA), [3](#)

Matrix, [2](#), [4](#)

nullResiduals, [4](#)  
nullResiduals,ANY-method  
    (nullResiduals), [4](#)  
nullResiduals,Matrix-method  
    (nullResiduals), [4](#)  
nullResiduals,matrix-method  
    (nullResiduals), [4](#)  
nullResiduals,SingleCellExperiment-method  
    (nullResiduals), [4](#)  
nullResiduals,SummarizedExperiment-method  
    (nullResiduals), [4](#)

SingleCellExperiment, [2](#), [4](#), [5](#)  
SummarizedExperiment, [2](#), [4](#), [5](#)