

Package ‘DMRcatedata’

December 1, 2022

Type Package

Title Data Package for DMRcate

Version 2.17.0

Date 2021-09-02

Author Tim Peters

Maintainer Tim Peters <t.peters@garvan.org.au>

Description This package contains 9 data objects supporting functionality and examples of the Bioconductor package DMRcate.

License GPL-3

Depends R (>= 3.6), ExperimentHub

Imports GenomicFeatures, Gviz, readxl, plyr, rtracklayer,
IlluminaHumanMethylation450kanno.ilmn12.hg19,
IlluminaHumanMethylationEPICanno.ilm10b4.hg19

LazyData true

Suggests knitr

biocViews ExperimentHub, ExperimentData, SNPData, Homo_sapiens_Data,
Mus_musculus_Data, SequencingData, MicroarrayData, Genome

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/DMRcatedata>

git_branch master

git_last_commit f6a219e

git_last_commit_date 2022-11-01

Date/Publication 2022-12-01

R topics documented:

DMRcatedata-package	2
crosshyb	2
hg19.generanges	3
hg19.grt	3

hg38.generanges	4
hg38.grt	4
mm10.generanges	5
mm10.grt	5
snpsall	6
XY.probes	6

Index	7
--------------	----------

DMRcatedata-package *Dataset to use with the DMRcate pipeline*

Description

SNP annotation, cross-hybridising probes, XY probes, and gene annotation for hg19, hg38 and mm10

Author(s)

Tim Peters, Immunogenomics Laboratory, Garvan Institute of Medical Research

Maintainer: Tim Peters<t.peters@garvan.org.au>

Examples

```
data(crosshyb)
data(snpsall)
data(hg19.grt)
data(hg19.generanges)
```

crosshyb *Potentially cross-hybridising Illumina probes*

Description

This is a character vector of Illumina probes whose probe sequence promiscuously aligns to non-target sections of the genome with a matching of 47bp or higher.

Usage

```
data(crosshyb)
```

Format

character

Source

https://static-content.springer.com/esm/art%3A10.1186%2Fs13059-016-1066-1/MediaObjects/13059_2016_1066_MOESM2_ESM.csv (accessed September 2019) https://static-content.springer.com/esm/art%3A10.1186%2Fs13059-016-1066-1/MediaObjects/13059_2016_1066_MOESM3_ESM.csv (accessed September 2019) <http://www.sickkids.ca/MS-Office-Files/Research/WeksbergLab/48639-non-specific-probes-Illumina450k.xlsx> (accessed September 2019)

hg19.generanges	<i>Start and stop positions of all genes in hg19</i>
-----------------	--

Description

This data set gives the genomic intervals of all gene regions in the Ensembl Release 75 of hg19.

Usage

```
data(hg19.generanges)
```

Format

A GRanges object with 57773 intervals.

Source

ftp://ftp.ensembl.org/pub/release-75/gtf/homo_sapiens/Homo_sapiens.GRCh37.75.gtf.gz

hg19.grt	<i>GeneRegionTrack for hg19</i>
----------	---------------------------------

Description

This is a GeneRegionTrack formulated from TxDb.Hsapiens.UCSC.hg19.knownGene.

Usage

```
data(hg19.grt)
```

Format

GeneRegionTrack

hg38.generanges	<i>Start and stop positions of all genes in hg38</i>
-----------------	--

Description

This data set gives the genomic intervals of all gene regions in the Ensembl Release 102 of hg38.

Usage

```
data(hg38.generanges)
```

Format

A GRanges object with 60616 intervals.

Source

ftp://ftp.ensembl.org/pub/release-102/gtf/homo_sapiens/Homo_sapiens.GRCh38.102.chr.gtf.gz

hg38.grt	<i>GeneRegionTrack for hg38</i>
----------	---------------------------------

Description

This is a GeneRegionTrack formulated from TxDb.Hsapiens.UCSC.hg38.knownGene.

Usage

```
data(hg38.grt)
```

Format

GeneRegionTrack

mm10.generanges	<i>Start and stop positions of all genes in mm10</i>
-----------------	--

Description

This data set gives the genomic intervals of all gene regions in the Ensembl Release 102 of mm10.

Usage

```
data(mm10.generanges)
```

Format

A GRanges object with 55401 intervals.

Source

ftp://ftp.ensembl.org/pub/release-96/gtf/mus_musculus/Mus_musculus.GRCm38.102.chr.gtf.gz

mm10.grt	<i>GeneRegionTrack for mm10</i>
----------	---------------------------------

Description

This is a GeneRegionTrack formulated from TxDb.Mmusculus.UCSC.mm10.knownGene.

Usage

```
data(mm10.grt)
```

Format

GeneRegionTrack

`snpsall`*SNP information for Illumina probes*

Description

This is a data.frame of Illumina probes whose target CpG lies on or near a known SNP. SNP ID, distance and minor allele frequency are all reported here.

Usage

```
data(snpsall)
```

Format

```
data.frame
```

Source

https://static-content.springer.com/esm/art%3A10.1186%2Fs13059-016-1066-1/MediaObjects/13059_2016_1066_MOESM4_ESM.csv (accessed September 2019) https://static-content.springer.com/esm/art%3A10.1186%2Fs13059-016-1066-1/MediaObjects/13059_2016_1066_MOESM5_ESM.csv (accessed September 2019) https://static-content.springer.com/esm/art%3A10.1186%2Fs13059-016-1066-1/MediaObjects/13059_2016_1066_MOESM6_ESM.csv (accessed September 2019) <http://www.sickkids.ca/MS-Office-Files/Research/WeksbergLab/48640-polymorphic-CpGs-Illumina.xlsx> (accessed September 2019)

`XY.probes`*Sex chromosome Illumina probes*

Description

This is a character vector of Illumina probes whose target CpG site is on a sex chromosome.

Usage

```
data(XY.probes)
```

Format

```
character
```

Index

* datasets

- crosshyb, [2](#)
- DMRcatedata-package, [2](#)
- hg19.geranges, [3](#)
- hg19.grt, [3](#)
- hg38.geranges, [4](#)
- hg38.grt, [4](#)
- mm10.geranges, [5](#)
- mm10.grt, [5](#)
- snpsall, [6](#)
- XY.probes, [6](#)

crosshyb, [2](#)

DMRcatedata (DMRcatedata-package), [2](#)

DMRcatedata-package, [2](#)

hg19.geranges, [3](#)

hg19.grt, [3](#)

hg38.geranges, [4](#)

hg38.grt, [4](#)

mm10.geranges, [5](#)

mm10.grt, [5](#)

snpsall, [6](#)

XY.probes, [6](#)