

Package ‘fibroEset’

September 12, 2024

Title exprSet for Karaman et al. (2003) fibroblasts data

Version 1.46.0

Date 2009-09-14

Author Sylvia Merk

Description exprSet for Karaman et al. (2003) human, bonobo and gorilla fibroblasts data

Maintainer Sylvia Merk <merk@ibe.med.uni-muenchen.de>

License LGPL

Depends Biobase (>= 2.5.5)

biocViews ExperimentData, Genome, Homo_sapiens_Data, MicroarrayData,
ChipOnChipData

git_url <https://git.bioconductor.org/packages/fibroEset>

git_branch RELEASE_3_19

git_last_commit 147184f

git_last_commit_date 2024-04-30

Repository Bioconductor 3.19

Date/Publication 2024-09-12

Contents

| | |
|---------------------|----------|
| fibroEset | 1 |
| Index | 3 |

| | |
|-----------|--|
| fibroEset | <i>Data from the microarray experiment of human, bonobo and gorilla cultured fibroblasts done by Karaman et al. (2003)</i> |
|-----------|--|

Description

Total RNA from early-passage primary fibroblast cell lines from 18 human, 10 bonobo and 11 gorilla donors was extracted and gene-expression analysis performed using Affymetrix U95Av2.

Usage

```
data(fibroEset)
```

Format

Expression set with 12625 genes and 46 samples.
There are 2 covariates listed.

- samp: sample code.
- species: The species the sample was obtained from.
h: human (*Homo sapiens*), b: bonobo (*Pan paniscus*), g: gorilla (*Gorilla gorilla*)

Details

Data preprocessing (as described in the publication):

The raw expression scores for every gene in every sample were generated using AFFYMETRIX GENECHIP 5.0. Normalization was done by calculating multiplicative scaling factors on the basis of the median intensity of the 60th to 95th percentile of gene-expression scores. All gene-expression scores below 100 were set to 100 to minimize noise associated with less robust measurements of rare transcripts.

The usage of a human chip can cause mismatches between the ape RNA samples and human oligonucleotide probes. Because 16 perfect match probes interrogate each gene, the effect of mismatches should be minimal (Hacia et al. 1998).

Source

<http://lichad.usc.edu/supplement/index.html>

References

Karaman M.W., Houck M.L., Chemnick L.G., Nagpal S., Chawannakul D., Sudano D., Pike B.L., Ho V.V., Ryder O.A. & Hacia J.G. (2003) Comparative Analysis of Gene-Expression Patterns in Human and African Great Ape Cultured Fibroblasts. *Genome Research* **13**, 1619-1630.

Hacia J.G. et al. (1998) Evolutionary sequence comparisons using high-density oligonucleotide arrays. *Nature genetics* **18**, 155-158.

Examples

```
library(Biobase)
data(fibroEset)
xx <- exprs(fibroEset)
colnames(xx) <- as.character(fibroEset$species)
dim(xx)
xx[1:5,1:5]
fibroEset$species
featureNames(fibroEset)[1:20]
```

Index

* **datasets**

fibroEset, 1

fibroEset, 1