

# Package ‘preprocessCore’

April 22, 2024

**Version** 1.65.0

**Title** A collection of pre-processing functions

**Author** Ben Bolstad <bmb@bmbolstad.com>

**Maintainer** Ben Bolstad <bmb@bmbolstad.com>

**Imports** stats

**Description** A library of core preprocessing routines.

**License** LGPL (>= 2)

**URL** <https://github.com/bmbolstad/preprocessCore>

**Collate** normalize.quantiles.R quantile\_extensions.R  
rma.background.correct.R rcModel.R colSummarize.R  
subColSummarize.R plmr.R plmd.R

**LazyLoad** yes

**biocViews** Infrastructure

**git\_url** <https://git.bioconductor.org/packages/preprocessCore>

**git\_branch** devel

**git\_last\_commit** 76e8796

**git\_last\_commit\_date** 2023-10-24

**Repository** Bioconductor 3.19

**Date/Publication** 2024-04-21

## Contents

colSumamrize . . . . .	2
normalize.quantiles . . . . .	3
normalize.quantiles.in.blocks . . . . .	5
normalize.quantiles.robust . . . . .	6
normalize.quantiles.target . . . . .	7
rcModelPLMd . . . . .	9
rcModelPLMr . . . . .	10
rcModels . . . . .	12

rma.background.correct . . . . .	14
subColSummarize . . . . .	15
subrcModels . . . . .	17

<b>Index</b>	<b>19</b>
--------------	-----------

---

colSumamrize	<i>Summarize the column of matrices</i>
--------------	---

---

## Description

Compute column wise summary values of a matrix.

## Usage

```
colSummarizeAvg(y)
colSummarizeAvgLog(y)
colSummarizeBiweight(y)
colSummarizeBiweightLog(y)
colSummarizeLogAvg(y)
colSummarizeLogMedian(y)
colSummarizeMedian(y)
colSummarizeMedianLog(y)
colSummarizeMedianpolish(y)
colSummarizeMedianpolishLog(y)
```

## Arguments

y                    A numeric matrix

## Details

This groups of functions summarize the columns of a given matrices.

- colSummarizeAvgTake means in column-wise manner
- colSummarizeAvgLoglog2 transform the data and then take means in column-wise manner
- colSummarizeBiweightSummarize each column using a one step Tukey Biweight procedure
- colSummarizeBiweightLoglog2 transform the data and then summarize each column using a one step Tuke Biweight procedure
- colSummarizeLogAvgCompute the mean of each column and then log2 transform it
- colSummarizeLogMedianCompute the median of each column and then log2 transform it
- colSummarizeMedianCompute the median of each column
- colSummarizeMedianLoglog2 transform the data and then summarize each column using the median

- colSummarizeMedianpolishUse the median polish to summarize each column, by also using a row effect (not returned)
- colSummarizeMedianpolishLoglog2 transform the data and then use the median polish to summarize each column, by also using a row effect (not returned)

**Value**

A list with following items:

Estimates	Summary values for each column.
StdErrors	Standard error estimates.

**Author(s)**

B. M. Bolstad <bmb@bmbolstad.com>

**Examples**

```
y <- matrix(10+rnorm(100),20,5)

colSummarizeAvg(y)
colSummarizeAvgLog(y)
colSummarizeBiweight(y)
colSummarizeBiweightLog(y)
colSummarizeLogAvg(y)
colSummarizeLogMedian(y)
colSummarizeMedian(y)
colSummarizeMedianLog(y)
colSummarizeMedianpolish(y)
colSummarizeMedianpolishLog(y)
```

---

normalize.quantiles    *Quantile Normalization*

---

**Description**

Using a normalization based upon quantiles, this function normalizes a matrix of probe level intensities.

**Usage**

```
normalize.quantiles(x, copy=TRUE, keep.names=FALSE)
```

**Arguments**

x	A matrix of intensities where each column corresponds to a chip and each row is a probe.
copy	Make a copy of matrix before normalizing. Usually safer to work with a copy, but in certain situations not making a copy of the matrix, but instead normalizing it in place will be more memory friendly.
keep.names	Boolean option to preserve matrix row and column names in output.

**Details**

This method is based upon the concept of a quantile-quantile plot extended to n dimensions. No special allowances are made for outliers. If you make use of quantile normalization please cite Bolstad et al, Bioinformatics (2003).

This functions will handle missing data (ie NA values), based on the assumption that the data is missing at random.

Note that the current implementation optimizes for better memory usage at the cost of some additional run-time.

**Value**

A normalized matrix.

**Author(s)**

Ben Bolstad, <bmbolstad.com>

**References**

Bolstad, B (2001) *Probe Level Quantile Normalization of High Density Oligonucleotide Array Data*. Unpublished manuscript <http://bmbolstad.com/stuff/qnorm.pdf>

Bolstad, B. M., Irizarry R. A., Astrand, M, and Speed, T. P. (2003) *A Comparison of Normalization Methods for High Density Oligonucleotide Array Data Based on Bias and Variance*. Bioinformatics 19(2) ,pp 185-193. <http://bmbolstad.com/misc/normalize/normalize.html>

**See Also**

[normalize.quantiles.robust](#)

---

`normalize.quantiles.in.blocks`*Quantile Normalization carried out separately within blocks of rows*

---

### Description

Using a normalization based upon quantiles this function normalizes the columns of a matrix such that different subsets of rows get normalized together.

### Usage

```
normalize.quantiles.in.blocks(x,blocks,copy=TRUE)
```

### Arguments

<code>x</code>	A matrix of intensities where each column corresponds to a chip and each row is a probe.
<code>copy</code>	Make a copy of matrix before normalizing. Usually safer to work with a copy
<code>blocks</code>	A vector giving block membership for each each row

### Details

This method is based upon the concept of a quantile-quantile plot extended to n dimensions. No special allowances are made for outliers. If you make use of quantile normalization either through [rma](#) or [expresso](#) please cite Bolstad et al, Bioinformatics (2003).

### Value

From `normalize.quantiles.use.target` a normalized matrix.

### Author(s)

Ben Bolstad, <[bmb@bmbolstad.com](mailto:bmb@bmbolstad.com)>

### References

Bolstad, B (2001) *Probe Level Quantile Normalization of High Density Oligonucleotide Array Data*. Unpublished manuscript <http://bmbolstad.com/stuff/qnorm.pdf>

Bolstad, B. M., Irizarry R. A., Astrand, M, and Speed, T. P. (2003) *A Comparison of Normalization Methods for High Density Oligonucleotide Array Data Based on Bias and Variance*. Bioinformatics 19(2) ,pp 185-193. <http://bmbolstad.com/misc/normalize/normalize.html>

### See Also

[normalize.quantiles](#)

**Examples**

```

### setup the data
blocks <- c(rep(1,5),rep(2,5),rep(3,5))
par(mfrow=c(3,2))
x <- matrix(c(rexp(5,0.05),rnorm(5),rnorm(5,10)))
boxplot(x ~ blocks)
y <- matrix(c(-rexp(5,0.05),rnorm(5,10),rnorm(5)))
boxplot(y ~ blocks)
pre.norm <- cbind(x,y)

### the in.blocks version
post.norm <- normalize.quantiles.in.blocks(pre.norm,blocks)
boxplot(post.norm[,1] ~ blocks)
boxplot(post.norm[,2] ~ blocks)

### the usual version
post.norm <- normalize.quantiles(pre.norm)
boxplot(post.norm[,1] ~ blocks)
boxplot(post.norm[,2] ~ blocks)

```

---

normalize.quantiles.robust

*Robust Quantile Normalization*

---

**Description**

Using a normalization based upon quantiles, this function normalizes a matrix of probe level intensities. Allows weighting of chips

**Usage**

```

normalize.quantiles.robust(x,copy=TRUE,weights=NULL,
  remove.extreme=c("variance","mean","both","none"),
  n.remove=1,use.median=FALSE,use.log2=FALSE, keep.names=FALSE)

```

**Arguments**

x	A matrix of intensities, columns are chips, rows are probes
copy	Make a copy of matrix before normalizing. Usually safer to work with a copy
weights	A vector of weights, one for each chip
remove.extreme	If weights is null, then this will be used for determining which chips to remove from the calculation of the normalization distribution, See details for more info
n.remove	number of chips to remove
use.median	if TRUE use the median to compute normalization chip, otherwise uses a weighted mean

use.log2	work on log2 scale. This means we will be using the geometric mean rather than ordinary mean
keep.names	Boolean option to preserve matrix row and column names in output.

### Details

This method is based upon the concept of a quantile-quantile plot extended to n dimensions. Note that the matrix is of intensities not log intensities. The function performs better with raw intensities.

Choosing **variance** will remove chips with variances much higher or lower than the other chips, **mean** removes chips with the mean most different from all the other means, **both** removes first extreme variance and then an extreme mean. The option **none** does not remove any chips, but will assign equal weights to all chips.

Note that this function does not handle missing values (ie NA). Unexpected results might occur in this situation.

### Value

a matrix of normalized intensities

### Note

This function is still experimental.

### Author(s)

Ben Bolstad, <bmb@bmbolstad.com>

### See Also

[normalize.quantiles](#)

---

normalize.quantiles.target

*Quantile Normalization using a specified target distribution vector*

---

### Description

Using a normalization based upon quantiles, these function normalizes the columns of a matrix based upon a specified normalization distribution

### Usage

```
normalize.quantiles.use.target(x, target, copy=TRUE, subset=NULL)
normalize.quantiles.determine.target(x, target.length=NULL, subset=NULL)
```

### Arguments

x	A matrix of intensities where each column corresponds to a chip and each row is a probe.
copy	Make a copy of matrix before normalizing. Usually safer to work with a copy
target	A vector containing datapoints from the distribution to be normalized to
target.length	number of datapoints to return in target distribution vector. If NULL then this will be taken to be equal to the number of rows in the matrix.
subset	A logical variable indexing whether corresponding row should be used in reference distribution determination

### Details

This method is based upon the concept of a quantile-quantile plot extended to n dimensions. No special allowances are made for outliers. If you make use of quantile normalization either through [rma](#) or [expresso](#) please cite Bolstad et al, Bioinformatics (2003).

These functions will handle missing data (ie NA values), based on the assumption that the data is missing at random.

### Value

From `normalize.quantiles.use.target` a normalized matrix.

### Author(s)

Ben Bolstad, <bmb@bmbolstad.com>

### References

Bolstad, B (2001) *Probe Level Quantile Normalization of High Density Oligonucleotide Array Data*. Unpublished manuscript <http://bmbolstad.com/stuff/qnorm.pdf>

Bolstad, B. M., Irizarry R. A., Astrand, M, and Speed, T. P. (2003) *A Comparison of Normalization Methods for High Density Oligonucleotide Array Data Based on Bias and Variance*. Bioinformatics 19(2) ,pp 185-193. <http://bmbolstad.com/misc/normalize/normalize.html>

### See Also

[normalize.quantiles](#)



**Description**

These functions fit row-column effect models to matrices using PLM-d

**Usage**

```
rcModelPLMd(y, group.labels)
```

**Arguments**

y	A numeric matrix
group.labels	A vector of group labels. Of length <code>ncol(y)</code>

**Details**

This functions first tries to fit row-column models to the specified input matrix. Specifically the model

$$y_{ij} = r_i + c_j + \epsilon_{ij}$$

with  $r_i$  and  $c_j$  as row and column effects respectively. Note that these functions treat the row effect as the parameter to be constrained using sum to zero.

Next the residuals for each row are compared to the group variable. In cases where there appears to be a significant relationship, the row-effect is "split" and separate row-effect parameters, one for each group, replace the single row effect.

**Value**

A list with following items:

Estimates	The parameter estimates. Stored in column effect then row effect order
Weights	The final weights used
Residuals	The residuals
StdErrors	Standard error estimates. Stored in column effect then row effect order
WasSplit	An indicator variable indicating whether or not a row was split with separate row effects for each group

**Author(s)**

B. M. Bolstad <bmb@bmbolstad.com>

**See Also**

[rcModelPLM](#), [rcModelPLMr](#)

**Examples**

```
col.effects <- c(10,11,10.5,12,9.5)
row.effects <- c(seq(-0.5,-0.1,by=0.1),seq(0.1,0.5,by=0.1))
```

```
y <- outer(row.effects, col.effects, "+")
y <- y + rnorm(50,sd=0.1)
```

```
rcModelPLMd(y,group.labels=c(1,1,2,2,2))
```

```
row.effects <- c(4,3,2,1,-1,-2,-3,-4)
col.effects <- c(8,9,10,11,12,10)
```

```
y <- outer(row.effects, col.effects, "+") + rnorm(48,0,0.25)
```

```
y[8,4:6] <- c(11,12,10)+ 2.5 + rnorm(3,0,0.25)
y[5,4:6] <- c(11,12,10)+-2.5 + rnorm(3,0,0.25)
```

```
rcModelPLMd(y,group.labels=c(1,1,1,2,2,2))
```

```
par(mfrow=c(2,2))
```

```
matplot(y,type="l",col=c(rep("red",3),rep("blue",3)),ylab="residuals",xlab="probe",main="Observed Data")
```

```
matplot(rcModelPLM(y)$Residuals,col=c(rep("red",3),rep("blue",3)),ylab="residuals",xlab="probe",main="Residuals")
```

```
matplot(rcModelPLMd(y,group.labels=c(1,1,1,2,2,2))$Residuals,col=c(rep("red",3),rep("blue",3)),xlab="probe",ylab="residuals",main="Residuals")
```

---

rcModelPLMr

*Fit robust row-column models to a matrix*


---

**Description**

These functions fit row-column effect models to matrices using PLM-r and variants

**Usage**

```
rcModelPLMr(y)
rcModelPLMrr(y)
rcModelPLMrc(y)
rcModelWPLMr(y, w)
rcModelWPLMrr(y, w)
rcModelWPLMrc(y, w)
```

**Arguments**

**y** A numeric matrix

**w** A matrix or vector of weights. These should be non-negative.

## Details

These functions fit row-column models to the specified input matrix. Specifically the model

$$y_{ij} = r_i + c_j + \epsilon_{ij}$$

with  $r_i$  and  $c_j$  as row and column effects respectively. Note that these functions treat the row effect as the parameter to be constrained using sum to zero.

The rcModelPLMr and rcModelWPLMr functions use the PLM-r fitting procedure. This adds column and row robustness to single element robustness.

The rcModelPLMrc and rcModelWPLMrc functions use the PLM-rc fitting procedure. This adds column robustness to single element robustness.

The rcModelPLMrr and rcModelWPLMrr functions use the PLM-rr fitting procedure. This adds row robustness to single element robustness.

## Value

A list with following items:

Estimates	The parameter estimates. Stored in column effect then row effect order
Weights	The final weights used
Residuals	The residuals
StdErrors	Standard error estimates. Stored in column effect then row effect order

## Author(s)

B. M. Bolstad <bmb@bmbolstad.com>

## See Also

[rcModelPLM](#), [rcModelPLMd](#)

## Examples

```
col.effects <- c(10,11,10.5,12,9.5)
row.effects <- c(seq(-0.5,-0.1,by=0.1),seq(0.1,0.5,by=0.1))

y <- outer(row.effects, col.effects, "+")
w <- runif(50)

rcModelPLMr(y)
rcModelWPLMr(y, w)

### An example where there no or only occasional outliers
y <- y + rnorm(50,sd=0.1)
par(mfrow=c(2,2))
image(1:10,1:5,rcModelPLMr(y)$Weights,xlab="row",ylab="col",main="PLM-r",zlim=c(0,1))
image(1:10,1:5,rcModelPLMrc(y)$Weights,xlab="row",ylab="col",main="PLM-rc",zlim=c(0,1))
```

```

image(1:10,1:5,rcModelPLMrr(y)$Weights,xlab="row",ylab="col",main="PLM-rr",zlim=c(0,1))
matplot(y,type="l")

### An example where there is a row outlier
y <- outer(row.effects, col.effects, "+")
y[1,] <- 11+ rnorm(5)

y <- y + rnorm(50,sd=0.1)

par(mfrow=c(2,2))
image(1:10,1:5,rcModelPLMr(y)$Weights,xlab="row",ylab="col",main="PLM-r",zlim=c(0,1))
image(1:10,1:5,rcModelPLMrc(y)$Weights,xlab="row",ylab="col",main="PLM-rc",zlim=c(0,1))
image(1:10,1:5,rcModelPLMrr(y)$Weights,xlab="row",ylab="col",main="PLM-rr",zlim=c(0,1))
matplot(y,type="l")

### An example where there is a column outlier
y <- outer(row.effects, col.effects, "+")
w <- rep(1,50)

y[,4] <- 12 + rnorm(10)
y <- y + rnorm(50,sd=0.1)

par(mfrow=c(2,2))
image(1:10,1:5,rcModelWPLMr(y,w)$Weights,xlab="row",ylab="col",main="PLM-r",zlim=c(0,1))
image(1:10,1:5,rcModelWPLMrc(y,w)$Weights,xlab="row",ylab="col",main="PLM-rc",zlim=c(0,1))
image(1:10,1:5,rcModelWPLMrr(y,w)$Weights,xlab="row",ylab="col",main="PLM-rr",zlim=c(0,1))
matplot(y,type="l")

### An example where there is both column and row outliers
y <- outer(row.effects, col.effects, "+")
w <- rep(1,50)

y[,4] <- 12 + rnorm(10)
y[1,] <- 11+ rnorm(5)

y <- y + rnorm(50,sd=0.1)

par(mfrow=c(2,2))
image(1:10,1:5,rcModelWPLMr(y,w)$Weights,xlab="row",ylab="col",main="PLM-r",zlim=c(0,1))
image(1:10,1:5,rcModelWPLMrc(y,w)$Weights,xlab="row",ylab="col",main="PLM-rc",zlim=c(0,1))
image(1:10,1:5,rcModelWPLMrr(y,w)$Weights,xlab="row",ylab="col",main="PLM-rr",zlim=c(0,1))
matplot(y,type="l")

```

---

rcModels

*Fit row-column model to a matrix*


---

### Description

These functions fit row-column effect models to matrices

**Usage**

```
rcModelPLM(y, row.effects=NULL, input.scale=NULL)
rcModelWPLM(y, w, row.effects=NULL, input.scale=NULL)
rcModelMedianPolish(y)
```

**Arguments**

<code>y</code>	A numeric matrix
<code>w</code>	A matrix or vector of weights. These should be non-negative.
<code>row.effects</code>	If these are supplied then the fitting procedure uses these (and analyzes individual columns separately)
<code>input.scale</code>	If supplied will be used rather than estimating the scale from the data

**Details**

These functions fit row-column models to the specified input matrix. Specifically the model

$$y_{ij} = r_i + c_j + \epsilon_{ij}$$

with  $r_i$  and  $c_j$  as row and column effects respectively. Note that this functions treat the row effect as the parameter to be constrained using sum to zero (for `rcModelPLM` and `rcModelWPLM`) or median of zero (for `rcModelMedianPolish`).

The `rcModelPLM` and `rcModelWPLM` functions use a robust linear model procedure for fitting the model.

The function `rcModelMedianPolish` uses the median polish algorithm.

**Value**

A list with following items:

<code>Estimates</code>	The parameter estimates. Stored in column effect then row effect order
<code>Weights</code>	The final weights used
<code>Residuals</code>	The residuals
<code>StdErrors</code>	Standard error estimates. Stored in column effect then row effect order
<code>Scale</code>	Scale Estimates

**Author(s)**

B. M. Bolstad <bmb@bmbolstad.com>

**See Also**

[rcModelPLMr](#), [rcModelPLMd](#)

**Examples**

```
col.effects <- c(10,11,10.5,12,9.5)
row.effects <- c(seq(-0.5,-0.1,by=0.1),seq(0.1,0.5,by=0.1))
```

```
y <- outer(row.effects, col.effects, "+")
w <- runif(50)
```

```
rcModelPLM(y)
rcModelWPLM(y, w)
rcModelMedianPolish(y)
```

```
y <- y + rnorm(50)
```

```
rcModelPLM(y)
rcModelWPLM(y, w)
rcModelMedianPolish(y)
```

```
rcModelPLM(y,row.effects=row.effects)
rcModelWPLM(y,w,row.effects=row.effects)
```

```
rcModelPLM(y,input.scale=1.0)
rcModelWPLM(y, w,input.scale=1.0)
rcModelPLM(y,row.effects=row.effects,input.scale=1.0)
rcModelWPLM(y,w,row.effects=row.effects,input.scale=1.0)
```

---

rma.background.correct

*RMA Background Correction*

---

**Description**

Background correct each column of a matrix

**Usage**

```
rma.background.correct(x, copy=TRUE)
```

**Arguments**

x                    A matrix of intensities where each column corresponds to a chip and each row is a probe.

copy            Make a copy of matrix before background correction. Usually safer to work with a copy, but in certain situations not making a copy of the matrix, but instead background correcting it in place will be more memory friendly.

### Details

Assumes PMs are a convolution of normal and exponential. So we observe  $X+Y$  where  $X$  is background and  $Y$  is signal. `bg.adjust` returns  $E[Y|X+Y, Y>0]$  as our background corrected PM.

### Value

A RMA background corrected matrix.

### Author(s)

Ben Bolstad, <bmbolstad.com>

### References

Bolstad, BM (2004) *Low Level Analysis of High-density Oligonucleotide Array Data: Background, Normalization and Summarization*. PhD Dissertation. University of California, Berkeley. pp 17-21

---

subColSummarize            *Summarize columns when divided into groups of rows*

---

### Description

These functions summarize columns of a matrix when the rows of the matrix are classified into different groups

### Usage

```
subColSummarizeAvg(y, group.labels)
subColSummarizeAvgLog(y, group.labels)
subColSummarizeBiweight(y, group.labels)
subColSummarizeBiweightLog(y, group.labels)
subColSummarizeLogAvg(y, group.labels)
subColSummarizeLogMedian(y, group.labels)
subColSummarizeMedian(y, group.labels)
subColSummarizeMedianLog(y, group.labels)
subColSummarizeMedianpolish(y, group.labels)
subColSummarizeMedianpolishLog(y, group.labels)
convert.group.labels(group.labels)
```

### Arguments

`y`            A numeric [matrix](#)

`group.labels`    A vector to be treated as a factor variable. This is used to assign each row to a group. NA values should be used to exclude rows from consideration

## Details

These functions are designed to summarize the columns of a matrix where the rows of the matrix are assigned to groups. The summarization is by column across all rows in each group.

- `subColSummarizeAvgSummarize` by taking mean
- `subColSummarizeAvgLoglog2` transform the data and then take means in column-wise manner
- `subColSummarizeBiweight` Use a one-step Tukey Biweight to summarize columns
- `subColSummarizeBiweightLoglog2` transform the data and then use a one-step Tukey Biweight to summarize columns
- `subColSummarizeLogAvgSummarize` by taking mean and then taking  $\log_2$
- `subColSummarizeLogMedianSummarize` by taking median and then taking  $\log_2$
- `subColSummarizeMedianSummarize` by taking median
- `subColSummarizeMedianLoglog2` transform the data and then summarize by taking median
- `subColSummarizeMedianpolish` Use the median polish to summarize each column, by also using a row effect (not returned)
- `subColSummarizeMedianpolishLoglog2` transform the data and then use the median polish to summarize each column, by also using a row effect (not returned)

## Value

A *matrix* containing column summarized data. Each row corresponds to data column summarized over a group of rows.

## Author(s)

B. M. Bolstad <bmb@bmbolstad.com>

## Examples

```
### Assign the first 10 rows to one group and
### the second 10 rows to the second group
###
y <- matrix(c(10+rnorm(50),20+rnorm(50)),20,5,byrow=TRUE)

subColSummarizeAvgLog(y,c(rep(1,10),rep(2,10)))
subColSummarizeLogAvg(y,c(rep(1,10),rep(2,10)))
subColSummarizeAvg(y,c(rep(1,10),rep(2,10)))

subColSummarizeBiweight(y,c(rep(1,10),rep(2,10)))
subColSummarizeBiweightLog(y,c(rep(1,10),rep(2,10)))

subColSummarizeMedianLog(y,c(rep(1,10),rep(2,10)))
subColSummarizeLogMedian(y,c(rep(1,10),rep(2,10)))
subColSummarizeMedian(y,c(rep(1,10),rep(2,10)))
```



```
subColSummarizeMedianpolishLog(y,c(rep(1,10),rep(2,10)))
subColSummarizeMedianpolish(y,c(rep(1,10),rep(2,10)))
```

---

subrcModels

*Fit row-column model to a matrix*


---

### Description

These functions fit row-column effect models to matrices

### Usage

```
subrcModelPLM(y, group.labels,row.effects=NULL,input.scale=NULL)
subrcModelMedianPolish(y, group.labels)
```

### Arguments

y	A numeric matrix
group.labels	A vector to be treated as a factor variable. This is used to assign each row to a group. NA values should be used to exclude rows from consideration
row.effects	If these are supplied then the fitting procedure uses these (and analyzes individual columns separately)
input.scale	If supplied will be used rather than estimating the scale from the data

### Details

These functions fit row-column models to the specified input matrix. Specifically the model

$$y_{ij} = r_i + c_j + \epsilon_{ij}$$

with  $r_i$  and  $c_j$  as row and column effects respectively. Note that this functions treat the row effect as the parameter to be constrained using sum to zero (for rcModelPLM and rcModelWPLM) or median of zero (for rcModelMedianPolish).

The rcModelPLM and rcModelWPLM functions use a robust linear model procedure for fitting the model.

The function rcModelMedianPolish uses the median polish algorithm.

### Value

A list with following items:

Estimates	The parameter estimates. Stored in column effect then row effect order
Weights	The final weights used
Residuals	The residuals
StdErrors	Standard error estimates. Stored in column effect then row effect order
Scale	Scale Estimates

**Author(s)**

B. M. Bolstad <bmb@bmbolstad.com>

**See Also**

[rcModelPLM](#)

**Examples**

```
y <- matrix(c(10+rnorm(50),20+rnorm(50)),20,5,byrow=TRUE)

subrcModelPLM(y,c(rep(1,10),rep(2,10)))
subrcModelMedianPolish(y,c(rep(1,10),rep(2,10)))

col.effects <- c(10,11,10.5,12,9.5)
row.effects <- c(seq(-0.5,-0.1,by=0.1),seq(0.1,0.5,by=0.1))

y <- outer(row.effects, col.effects,"+")
w <- runif(50)

rcModelPLM(y)
rcModelWPLM(y, w)
rcModelMedianPolish(y)

y <- y + rnorm(50)

rcModelPLM(y)
rcModelWPLM(y, w)
rcModelMedianPolish(y)

rcModelPLM(y,row.effects=row.effects)
rcModelWPLM(y,w,row.effects=row.effects)

rcModelPLM(y,input.scale=1.0)
rcModelWPLM(y, w,input.scale=1.0)
rcModelPLM(y,row.effects=row.effects,input.scale=1.0)
rcModelWPLM(y,w,row.effects=row.effects,input.scale=1.0)
```

# Index

- \* **manip**
  - normalize.quantiles, 3
  - normalize.quantiles.in.blocks, 5
  - normalize.quantiles.robust, 6
  - normalize.quantiles.target, 7
  - rma.background.correct, 14
- \* **models**
  - rcModelPLMd, 9
  - rcModelPLMr, 10
  - rcModels, 12
  - subrcModels, 17
- \* **univar**
  - colSumamrize, 2
  - subColSummarize, 15
- colSumamrize, 2
- colSummarizeAvg (colSumamrize), 2
- colSummarizeAvgLog (colSumamrize), 2
- colSummarizeBiweight (colSumamrize), 2
- colSummarizeBiweightLog (colSumamrize), 2
- colSummarizeLogAvg (colSumamrize), 2
- colSummarizeLogMedian (colSumamrize), 2
- colSummarizeMedian (colSumamrize), 2
- colSummarizeMedianLog (colSumamrize), 2
- colSummarizeMedianpolish (colSumamrize), 2
- colSummarizeMedianpolishLog (colSumamrize), 2
- convert.group.labels (subColSummarize), 15
- expresso, 5, 8
- matrix, 15, 16
- normalize.AffyBatch.quantiles.robust (normalize.quantiles.robust), 6
- normalize.quantiles, 3, 5, 7, 8
- normalize.quantiles.determine.target (normalize.quantiles.target), 7
- normalize.quantiles.in.blocks, 5
- normalize.quantiles.robust, 4, 6
- normalize.quantiles.target, 7
- normalize.quantiles.use.target (normalize.quantiles.target), 7
- rcModelMedianPolish (rcModels), 12
- rcModelPLM, 9, 11, 18
- rcModelPLM (rcModels), 12
- rcModelPLMd, 9, 11, 13
- rcModelPLMr, 9, 10, 13
- rcModelPLMrc (rcModelPLMr), 10
- rcModelPLMrr (rcModelPLMr), 10
- rcModels, 12
- rcModelWPLM (rcModels), 12
- rcModelWPLMr (rcModelPLMr), 10
- rcModelWPLMrc (rcModelPLMr), 10
- rcModelWPLMrr (rcModelPLMr), 10
- rma, 5, 8
- rma.background.correct, 14
- subColSummarize, 15
- subColSummarizeAvg (subColSummarize), 15
- subColSummarizeAvgLog (subColSummarize), 15
- subColSummarizeBiweight (subColSummarize), 15
- subColSummarizeBiweightLog (subColSummarize), 15
- subColSummarizeLogAvg (subColSummarize), 15
- subColSummarizeLogMedian (subColSummarize), 15
- subColSummarizeMedian (subColSummarize), 15
- subColSummarizeMedianLog (subColSummarize), 15
- subColSummarizeMedianpolish (subColSummarize), 15

subColSummarizeMedianpolishLog  
    (subColSummarize), [15](#)  
subrcModelMedianPolish (subrcModels), [17](#)  
subrcModelPLM (subrcModels), [17](#)  
subrcModels, [17](#)  
subrcModelWPLM (subrcModels), [17](#)