

1. Introduction to *VariantAnnotation*

Valerie Obenchain

August 12, 2022

Contents

1	Introduction	1
2	Variant Call Format (VCF) files	2
2.1	Data import and exploration.	2
2.1.1	Header information	3
2.1.2	Genomic positions	3
2.1.3	Genotype data.	4
2.1.4	Info data	6
2.2	Import data subsets	8
2.2.1	Select genomic coordinates	8
2.2.2	Select VCF fields	9
3	Locating variants in and around genes	10
4	Amino acid coding changes	11
5	SIFT and PolyPhen Databases	13
6	Other operations	15
6.1	Create a SnpMatrix	15
6.2	Write out VCF files	17
7	Performance.	18
8	References	19
9	Session Information	19

1 Introduction

This vignette outlines a work flow for annotating and filtering genetic variants using the *VariantAnnotation* package. Sample data are in VariantCall Format (VCF) and are a subset of chromosome 22 from [1000 Genomes](#). VCF text files contain meta-information lines, a header line with column names, data lines with information about a position in the genome, and optional genotype information on samples for each position. The 1000 Genomes page describes the [VCF format](#) in detail.

1. Introduction to *VariantAnnotation*

Data are read in from a VCF file and variants identified according to region such as `coding`, `intron`, `intergenic`, `spliceSite` etc. Amino acid coding changes are computed for the non-synonymous variants and SIFT and PolyPhen databases provide predictions of how severely the coding changes affect protein function.

2 Variant Call Format (VCF) files

2.1 Data import and exploration

Data are parsed into a VCF object with `readVcf`.

```
> library(VariantAnnotation)
> fl <- system.file("extdata", "chr22.vcf.gz", package="VariantAnnotation")
> vcf <- readVcf(fl, "hg19")
> vcf

class: CollapsedVCF
dim: 10376 5
rowRanges(vcf):
  GRanges with 5 metadata columns: paramRangeID, REF, ALT, QUAL, FILTER
info(vcf):
  DataFrame with 22 columns: LDAF, AVGPOST, RSQ, ERATE, THETA, CIEND...
info(header(vcf)):
  Number Type Description
  LDAF 1 Float MLE Allele Frequency Accounting for LD
  AVGPOST 1 Float Average posterior probability from MaCH/...
  RSQ 1 Float Genotype imputation quality from MaCH/Th...
  ERATE 1 Float Per-marker Mutation rate from MaCH/Thunder
  THETA 1 Float Per-marker Transition rate from MaCH/Thu...
  CIEND 2 Integer Confidence interval around END for impre...
  CIPOS 2 Integer Confidence interval around POS for impre...
  END 1 Integer End position of the variant described in...
  HOMLEN . Integer Length of base pair identical micro-homo...
  HOMSEQ . String Sequence of base pair identical micro-ho...
  SVLEN 1 Integer Difference in length between REF and ALT...
  SVTYPE 1 String Type of structural variant
  AC . Integer Alternate Allele Count
  AN 1 Integer Total Allele Count
  AA 1 String Ancestral Allele, ftp://ftp.1000genomes....
  AF 1 Float Global Allele Frequency based on AC/AN
  AMR_AF 1 Float Allele Frequency for samples from AMR ba...
  ASN_AF 1 Float Allele Frequency for samples from ASN ba...
  AFR_AF 1 Float Allele Frequency for samples from AFR ba...
  EUR_AF 1 Float Allele Frequency for samples from EUR ba...
  VT 1 String indicates what type of variant the line ...
  SNPSOURCE . String indicates if a snp was called when analy...
geno(vcf):
  List of length 3: GT, DS, GL
geno(header(vcf)):
  Number Type Description
  GT 1 String Genotype
```

1. Introduction to *VariantAnnotation*

```
DS 1      Float  Genotype dosage from MaCH/Thunder
GL G      Float  Genotype Likelihoods
```

2.1.1 Header information

Header information can be extracted from the VCF with `header()`. We see there are 5 samples, 1 piece of meta information, 22 info fields and 3 geno fields.

```
> header(vcf)

class: VCFHeader
samples(5): HG00096 HG00097 HG00099 HG00100 HG00101
meta(1): fileformat
fixed(2): FILTER ALT
info(22): LDAF AVGPST ... VT SNPSOURCE
geno(3): GT DS GL
```

Data can be further extracted using the named accessors.

```
> samples(header(vcf))

[1] "HG00096" "HG00097" "HG00099" "HG00100" "HG00101"

> geno(header(vcf))

DataFrame with 3 rows and 3 columns
      Number      Type      Description
  <character> <character> <character>
GT          1      String      Genotype
DS          1      Float      Genotype dosage from..
GL          G      Float      Genotype Likelihoods
```

2.1.2 Genomic positions

`rowRanges` contains information from the CHROM, POS, and ID fields of the VCF file, represented as a `GRanges`. The `paramRangeID` column is meaningful when reading subsets of data and is discussed further below.

```
> head(rowRanges(vcf), 3)

GRanges object with 3 ranges and 5 metadata columns:
      seqnames      ranges strand | paramRangeID      REF
      <Rle> <IRanges> <Rle> | <factor> <DNAStrngSet>
rs7410291      22 50300078      * |      NA      A
rs147922003    22 50300086      * |      NA      C
rs114143073    22 50300101      * |      NA      G
      ALT      QUAL      FILTER
      <DNAStrngSetList> <numeric> <character>
rs7410291      G      100      PASS
rs147922003    T      100      PASS
rs114143073    A      100      PASS
-----
seqinfo: 1 sequence from hg19 genome; no seqlengths
```

1. Introduction to *VariantAnnotation*

Individual fields can be pulled out with named accessors. Here we see `REF` is stored as a `DNAStrngSet` and `qual` is a numeric vector.

```
> ref(vcf)[1:5]
DNAStrngSet object of length 5:
  width seq
[1]    1 A
[2]    1 C
[3]    1 G
[4]    1 C
[5]    1 C

> qual(vcf)[1:5]
[1] 100 100 100 100 100
```

`ALT` is a `DNAStrngSetList` (allows for multiple alternate alleles per variant) or a `DNAStrngSet`. When structural variants are present it will be a `CharacterList`.

```
> alt(vcf)[1:5]
DNAStrngSetList of length 5
[[1]] G
[[2]] T
[[3]] A
[[4]] T
[[5]] T
```

2.1.3 Genotype data

Genotype data described in the `FORMAT` fields are parsed into the `geno` slot. The data are unique to each sample and each sample may have multiple values variable. Because of this, the data are parsed into matrices or arrays where the rows represent the variants and the columns the samples. Multidimensional arrays indicate multiple values per sample. In this file all variables are matrices.

```
> geno(vcf)
List of length 3
names(3): GT DS GL

> sapply(geno(vcf), class)
      GT      DS      GL
[1,] "matrix" "matrix" "matrix"
[2,] "array"  "array"  "array"
```

Let's take a closer look at the genotype dosage (`DS`) variable. The header provides the variable definition and type.

```
> geno(header(vcf))["DS",]
DataFrame with 1 row and 3 columns
  Number      Type      Description
<character> <character> <character>
DS          1      Float Genotype dosage from..
```

1. Introduction to *VariantAnnotation*

These data are stored as a 10376 × 5 matrix. Each of the five samples (columns) has a single value per variant location (row).

```
> DS <- geno(vcf)$DS
> dim(DS)
[1] 10376      5
> DS[1:3,]
      HG000096 HG000097 HG000099 HG00100 HG00101
rs7410291      0      0      1      0      0
rs147922003    0      0      0      0      0
rs114143073    0      0      0      0      0
```

DS is also known as 'posterior mean genotypes' and range in value from [0, 2]. To get a sense of variable distribution, we compute a five number summary of the minimum, lower-hinge (first quartile), median, upper-hinge (third quartile) and maximum.

```
> fivenum(DS)
[1] 0 0 0 0 2
```

The majority of these values (86%) are zero.


```
> length(which(DS==0))/length(DS)
[1] 0.8621627
```

View the distribution of the non-zero values.

```
> hist(DS[DS != 0], breaks=seq(0, 2, by=0.05),
+      main="DS non-zero values", xlab="DS")
```

1. Introduction to *VariantAnnotation*

DS non-zero values



2.1.4 Info data

In contrast to the genotype data, the info data are unique to the variant and the same across samples. All info variables are represented in a single `DataFrame`.

```
> info(vcf)[1:4, 1:5]
```

DataFrame with 4 rows and 5 columns

	LDAF	AVGPOST	RSQ	ERATE	THETA
	<numeric>	<numeric>	<numeric>	<numeric>	<numeric>
rs7410291	0.3431	0.9890	0.9856	2e-03	0.0005
rs147922003	0.0091	0.9963	0.8398	5e-04	0.0011
rs114143073	0.0098	0.9891	0.5919	7e-04	0.0008
rs141778433	0.0062	0.9950	0.6756	9e-04	0.0003

We will use the info data to compare quality measures between novel (i.e., not in dbSNP) and known (i.e., in dbSNP) variants and the variant type present in the file. Variants with membership in dbSNP can be identified by using the appropriate `SNPlocs` package for the hg19 genome (GRCh37).

1. Introduction to *VariantAnnotation*

```
> library(SNPlocs.Hsapiens.dbSNP144.GRCh37)
> vcf_rsids <- names(rowRanges(vcf))
> chr22snps <- snpsBySeqname(SNPlocs.Hsapiens.dbSNP144.GRCh37, "22")
> chr22_rsids <- mcols(chr22snps)$RefSNP_id
> in_dbSNP <- vcf_rsids %in% chr22_rsids
> table(in_dbSNP)

in_dbSNP
FALSE TRUE
 1114  9262
```

Info variables of interest are 'VT', 'LDAF' and 'RSQ'. The header offers more details on these variables.

```
> info(header(vcf))[c("VT", "LDAF", "RSQ"),]

DataFrame with 3 rows and 3 columns
      Number      Type      Description
  <character> <character> <character>
VT           1      String indicates what type ..
LDAF         1      Float MLE Allele Frequency..
RSQ          1      Float Genotype imputation ..
```


Create a data frame of quality measures of interest ...

```
> metrics <- data.frame(QUAL=qual(vcf), in_dbSNP=in_dbSNP,
+   VT=info(vcf)$VT, LDAF=info(vcf)$LDAF, RSQ=info(vcf)$RSQ)
```

and visualize the distribution of qualities using `ggplot2`. For instance, genotype imputation quality is higher for the known variants in dbSNP.

```
> library(ggplot2)
> ggplot(metrics, aes(x=RSQ, fill=in_dbSNP)) +
+   geom_density(alpha=0.5) +
+   scale_x_continuous(name="MaCH / Thunder Imputation Quality") +
+   scale_y_continuous(name="Density") +
+   theme(legend.position="top")
```

1. Introduction to *VariantAnnotation*



2.2 Import data subsets

When working with large VCF files it may be more efficient to read in subsets of the data. This can be accomplished by selecting genomic coordinates (ranges) or by specific fields from the VCF file.

2.2.1 Select genomic coordinates

To read in a portion of chromosome 22, create a `GRanges` with the regions of interest.

```
> rng <- GRanges(seqnames="22", ranges=IRanges(  
+   start=c(50301422, 50989541),  
+   end=c(50312106, 51001328),  
+   names=c("gene_79087", "gene_644186")))
```

When ranges are specified, the VCF file must have an accompanying Tabix index file. See `?indexTabix` for help creating an index.

1. Introduction to *VariantAnnotation*

```
> tab <- TabixFile(fl)
> vcf_rng <- readVcf(tab, "hg19", param=rng)
```

The `paramRangesID` column distinguishes which records came from which param range.

```
> head(rowRanges(vcf_rng), 3)

GRanges object with 3 ranges and 5 metadata columns:
      seqnames      ranges strand | paramRangeID
      <Rle> <IRanges> <Rle> | <factor>
rs114335781      22 50301422      * | gene_79087
rs8135963        22 50301476      * | gene_79087
22:50301488_C/T  22 50301488      * | gene_79087
      REF          ALT      QUAL
      <DNAStringSet> <DNAStringSetList> <numeric>
rs114335781          G          A      100
rs8135963            T          C      100
22:50301488_C/T      C          T      100
      FILTER
      <character>
rs114335781          PASS
rs8135963            PASS
22:50301488_C/T      PASS
-----
seqinfo: 1 sequence from hg19 genome; no seqlengths
```

2.2.2 Select VCF fields

Data import can also be defined by the `fixed`, `info` and `geno` fields. Fields available for import are described in the header information. To view the header before reading in the data, use `ScanVcfHeader`.

```
> hdr <- scanVcfHeader(fl)
> ## e.g., INFO and GENO fields
> head(info(hdr), 3)

DataFrame with 3 rows and 3 columns
      Number      Type      Description
      <character> <character> <character>
LDAF          1      Float MLE Allele Frequency..
AVGPOST        1      Float Average posterior pr..
RSQ            1      Float Genotype imputation ..

> head(geno(hdr), 3)

DataFrame with 3 rows and 3 columns
      Number      Type      Description
      <character> <character> <character>
GT          1      String      Genotype
DS          1      Float Genotype dosage from..
GL          G      Float Genotype Likelihoods
```

1. Introduction to *VariantAnnotation*

To subset on "LDAF" and "GT" we specify them as character vectors in the `info` and `geno` arguments to `ScanVcfParam`. This creates a `ScanVcfParam` object which is used as the `param` argument to `readVcf`.

```
> ## Return all 'fixed' fields, "LAF" from 'info' and "GT" from 'geno'
> svp <- ScanVcfParam(info="LDAF", geno="GT")
> vcf1 <- readVcf(fl, "hg19", svp)
> names(geno(vcf1))

[1] "GT"
```

To subset on both genomic coordinates and fields the `ScanVcfParam` object must contain both.

```
> svp_all <- ScanVcfParam(info="LDAF", geno="GT", which=rng)
> svp_all

class: ScanVcfParam
vcfWhich: 1 elements
vcfFixed: character() [All]
vcfInfo: LDAF
vcfGeno: GT
vcfSamples:
```

3 Locating variants in and around genes

Variant location with respect to genes can be identified with the `locateVariants` function. Regions are specified in the `region` argument and can be one of the following constructors: `CodingVariants`, `IntronVariants`, `FiveUTRVariants`, `ThreeUTRVariants`, `IntergenicVariants`, `SpliceSiteVariants` or `PromoterVariants`. Location definitions are shown in Table 1.

Location	Details
coding	falls <i>within</i> a coding region
fiveUTR	falls <i>within</i> a 5' untranslated region
threeUTR	falls <i>within</i> a 3' untranslated region
intron	falls <i>within</i> an intron region
intergenic	does not fall <i>within</i> a transcript associated with a gene
spliceSite	overlaps any portion of the first 2 or last 2 nucleotides of an intron
promoter	falls <i>within</i> a promoter region of a transcript

Table 1: Variant locations

For overlap methods to work properly the chromosome names (`seqlevels`) must be compatible in the objects being compared. The VCF data chromosome names are represented by number, i.e., '22', but the `TxDb` chromosome names are preceded with 'chr'. `Seqlevels` in the VCF can be modified with the `seqlevels` function.

```
> library(TxDb.Hsapiens.UCSC.hg19.knownGene)
> txdb <- TxDb.Hsapiens.UCSC.hg19.knownGene
> seqlevels(vcf) <- "chr22"
> rd <- rowRanges(vcf)
> loc <- locateVariants(rd, txdb, CodingVariants())
> head(loc, 3)
```

1. Introduction to *VariantAnnotation*

```
GRanges object with 3 ranges and 9 metadata columns:
      seqnames      ranges strand | LOCATION  LOCSTART
      <Rle> <IRanges> <Rle> | <factor> <integer>
rs114335781 chr22 50301422 - | coding      939
rs8135963   chr22 50301476 - | coding      885
22:50301488_C/T chr22 50301488 - | coding      873
      LOCEND  QUERYID      TXID      CDSID
      <integer> <integer> <character> <IntegerList>
rs114335781    939      24      75253      218562
rs8135963     885      25      75253      218562
22:50301488_C/T 873      26      75253      218562
      GENEID      PRECEDEID      FOLLOWID
      <character> <CharacterList> <CharacterList>
rs114335781    79087
rs8135963     79087
22:50301488_C/T 79087
-----
seqinfo: 1 sequence from an unspecified genome; no seqlengths
```

Locate variants in all regions with the `AllVariants()` constructor,

```
> allvar <- locateVariants(rd, txdb, AllVariants())
```

To answer gene-centric questions data can be summarized by gene regardless of transcript.

```
> ## Did any coding variants match more than one gene?
> spl <- split(mcols(loc)$GENEID, mcols(loc)$QUERYID)
> table(sapply(spl, function(x) length(unique(x)) > 1))

FALSE TRUE
  965   15

> ## Summarize the number of coding variants by gene ID.
> spl <- split(mcols(loc)$QUERYID, mcols(loc)$GENEID)
> head(sapply(spl, function(x) length(unique(x))), 3)

113730 1890 23209
    22    15    30
```

4 Amino acid coding changes

`predictCoding` computes amino acid coding changes for non-synonymous variants. Only ranges in `query` that overlap with a coding region in the `subject` are considered. Reference sequences are retrieved from either a `BSgenome` or fasta file specified in `seqSource`. Variant sequences are constructed by substituting, inserting or deleting values in the `varAllele` column into the reference sequence. Amino acid codes are computed for the variant codon sequence when the length is a multiple of 3.

The `query` argument to `predictCoding` can be a `GRanges` or `VCF`. When a `GRanges` is supplied the `varAllele` argument must be specified. In the case of a `VCF`, the alternate alleles are taken from `alt(<VCF>)` and the `varAllele` argument is not specified.

1. Introduction to *VariantAnnotation*

The result is a modified `query` containing only variants that fall within coding regions. Each row represents a variant-transcript match so more than one row per original variant is possible.

```
> library(BSgenome.Hsapiens.UCSC.hg19)
> coding <- predictCoding(vcf, txdb, seqSource=Hsapiens)
> coding[5:7]
```

GRanges object with 3 ranges and 17 metadata columns:

	seqnames	ranges	strand	paramRangeID
	<Rle>	<IRanges>	<Rle>	<factor>
22:50301584_C/T	chr22	50301584	-	NA
rs114264124	chr22	50302962	-	NA
rs149209714	chr22	50302995	-	NA
	REF	ALT	QUAL	
	<DNASTringSet>	<DNASTringSetList>	<numeric>	
22:50301584_C/T	C	T	100	
rs114264124	C	T	100	
rs149209714	C	G	100	
	FILTER	varAllele	CDSLOC	PROTEINLOC
	<character>	<DNASTringSet>	<IRanges>	<IntegerList>
22:50301584_C/T	PASS	A	777	259
rs114264124	PASS	A	698	233
rs149209714	PASS	C	665	222
	QUERYID	TXID	CDSID	GENEID
	<integer>	<character>	<IntegerList>	<character>
22:50301584_C/T	28	75253	218562	79087
rs114264124	57	75253	218563	79087
rs149209714	58	75253	218563	79087
	CONSEQUENCE	REFCODON	VARCODON	
	<factor>	<DNASTringSet>	<DNASTringSet>	
22:50301584_C/T	synonymous	CCG	CCA	
rs114264124	nonsynonymous	CGG	CAG	
rs149209714	nonsynonymous	GGA	GCA	
	REFAA	VARAA		
	<AAStringSet>	<AAStringSet>		
22:50301584_C/T	P	P		
rs114264124	R	Q		
rs149209714	G	A		

seqinfo: 1 sequence from hg19 genome; no seqlengths

Using variant rs114264124 as an example, we see `varAllele` A has been substituted into the `refCodon` CGG to produce `varCodon` CAG. The `refCodon` is the sequence of codons necessary to make the variant allele substitution and therefore often includes more nucleotides than indicated in the range (i.e. the range is 50302962, 50302962, width of 1). Notice it is the second position in the `refCodon` that has been substituted. This position in the codon, the position of substitution, corresponds to genomic position 50302962. This genomic position maps to position 698 in coding region-based coordinates and to triplet 233 in the protein. This is a non-synonymous coding variant where the amino acid has changed from R (Arg) to Q (Gln).

When the resulting `varCodon` is not a multiple of 3 it cannot be translated. The consequence is considered a `frameshift` and `varAA` will be missing.

1. Introduction to *VariantAnnotation*

```
> ## CONSEQUENCE is 'frameshift' where translation is not possible
> coding[mcols(coding)$CONSEQUENCE == "frameshift"]

GRanges object with 2 ranges and 17 metadata columns:
      seqnames      ranges strand | paramRangeID
      <Rle> <IRanges> <Rle> | <factor>
22:50317001_G/GCACT chr22 50317001 + | NA
22:50317001_G/GCACT chr22 50317001 + | NA
      REF ALT QUAL
      <DNAStrngSet> <DNAStrngSetList> <numeric>
22:50317001_G/GCACT G GCACT 233
22:50317001_G/GCACT G GCACT 233
      FILTER varAllele CDSLOC
      <character> <DNAStrngSet> <IRanges>
22:50317001_G/GCACT PASS GCACT 808
22:50317001_G/GCACT PASS GCACT 628
      PROTEINLOC QUERYID TXID CDSID
      <IntegerList> <integer> <character> <IntegerList>
22:50317001_G/GCACT 270 359 74357 216303
22:50317001_G/GCACT 210 359 74358 216303
      GENEID CONSEQUENCE REFCODON
      <character> <factor> <DNAStrngSet>
22:50317001_G/GCACT 79174 frameshift GCC
22:50317001_G/GCACT 79174 frameshift GCC
      VARCHODON REFAA VARAA
      <DNAStrngSet> <AAStringSet> <AAStringSet>
22:50317001_G/GCACT GCACTCC
22:50317001_G/GCACT GCACTCC
-----
seqinfo: 1 sequence from hg19 genome; no seqlengths
```

5 SIFT and PolyPhen Databases

From `predictCoding` we identified the amino acid coding changes for the non-synonymous variants. For this subset we can retrieve predictions of how damaging these coding changes may be. SIFT (Sorting Intolerant From Tolerant) and PolyPhen (Polymorphism Phenotyping) are methods that predict the impact of amino acid substitution on a human protein. The SIFT method uses sequence homology and the physical properties of amino acids to make predictions about protein function. PolyPhen uses sequence-based features and structural information characterizing the substitution to make predictions about the structure and function of the protein.

Collated predictions for specific dbSNP builds are available as downloads from the SIFT and PolyPhen web sites. These results have been packaged into *SIFT.Hsapiens.dbSNP132.db* and *PolyPhen.Hsapiens.dbSNP131.db* and are designed to be searched by rsid. Variants that are in dbSNP can be searched with these database packages. When working with novel variants, SIFT and PolyPhen must be called directly. See references for home pages.

Identify the non-synonymous variants and obtain the rsids.

1. Introduction to *VariantAnnotation*

```
> nms <- names(coding)
> idx <- mcols(coding)$CONSEQUENCE == "nonsynonymous"
> nonsyn <- coding[idx]
> names(nonsyn) <- nms[idx]
> rsids <- unique(names(nonsyn)[grep("rs", names(nonsyn), fixed=TRUE)])
```

Detailed descriptions of the database columns can be found with `?SIFTDbColumns` and `?PolyPhenDbColumns`. Variants in these databases often contain more than one row per variant. The variant may have been reported by multiple sources and therefore the source will differ as well as some of the other variables.

It is important to keep in mind the pre-computed predictions in the SIFT and PolyPhen packages are based on specific gene models. SIFT is based on Ensembl and PolyPhen on UCSC Known Gene. The `TxDb` we used to identify the coding snps was based on UCSC Known Gene so we will use PolyPhen for predictions. PolyPhen provides predictions using two different training datasets and has considerable information about 3D protein structure. See `?PolyPhenDbColumns` or the PolyPhen web site listed in the references for more details.

Query the PolyPhen database,

```
> library(PolyPhen.Hsapiens.dbSNP131)
> pp <- select(PolyPhen.Hsapiens.dbSNP131, keys=rsids,
+             cols=c("TRAININGSET", "PREDICTION", "PPH2PROB"))
> head(pp[!is.na(pp$PREDICTION), ])
```

	RSID	TRAININGSET	OSNPID	OACC	OPOS	OAA1	OAA2	SNPID
13	rs8139422	humdiv	rs8139422	Q6UXH1-5	182	D	E	rs8139422
14	rs8139422	humvar	rs8139422	<NA>	<NA>	<NA>	<NA>	rs8139422
15	rs74510325	humdiv	rs74510325	Q6UXH1-5	189	R	G	rs74510325
16	rs74510325	humvar	rs74510325	<NA>	<NA>	<NA>	<NA>	rs74510325
21	rs73891177	humdiv	rs73891177	Q6UXH1-5	207	P	A	rs73891177
22	rs73891177	humvar	rs73891177	<NA>	<NA>	<NA>	<NA>	rs73891177

	ACC	POS	AA1	AA2	NT1	NT2	PREDICTION	BASEDON	EFFECT
13	Q6UXH1-5	182	D	E	T	A	possibly damaging alignment	<NA>	<NA>
14	Q6UXH1-5	182	D	E	<NA>	<NA>	possibly damaging	<NA>	<NA>
15	Q6UXH1-5	189	R	G	C	G	possibly damaging alignment	<NA>	<NA>
16	Q6UXH1-5	189	R	G	<NA>	<NA>	possibly damaging	<NA>	<NA>
21	Q6UXH1-5	207	P	A	C	G	benign alignment	<NA>	<NA>
22	Q6UXH1-5	207	P	A	<NA>	<NA>	benign	<NA>	<NA>

	PPH2CLASS	PPH2PROB	PPH2FPR	PPH2TPR	PPH2FDR	SITE	REGION	PHAT	DSCORE
13	neutral	0.228	0.156	0.892	0.258	<NA>	<NA>	<NA>	0.951
14	<NA>	0.249	0.341	0.874	<NA>	<NA>	<NA>	<NA>	<NA>
15	neutral	0.475	0.131	0.858	0.233	<NA>	<NA>	<NA>	1.198
16	<NA>	0.335	0.311	0.851	<NA>	<NA>	<NA>	<NA>	<NA>
21	neutral	0.001	0.86	0.994	0.61	<NA>	<NA>	<NA>	-0.225
22	<NA>	0.005	0.701	0.981	<NA>	<NA>	<NA>	<NA>	<NA>

	SCORE1	SCORE2	NOBS	NSTRUCT	NFILT	PDBID	PDBPOS	PDBCH	IDENT	LENGTH
13	1.382	0.431	37	0	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>
14	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>
15	1.338	0.14	36	0	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>
16	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>
21	-0.45	-0.225	1	0	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>
22	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>	<NA>

1. Introduction to *VariantAnnotation*

```
NORMACC SECSTR MAPREG DVOL DPROP BFACT HBONDS AVENHET MINDHET
13 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
14 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
15 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
16 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
21 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
22 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
AVENINT MINDINT AVENSIT MINDSIT TRANSV CODPOS CPG MINDJNC PFAMHIT
13 <NA> <NA> <NA> <NA> 1 2 0 <NA> <NA>
14 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
15 <NA> <NA> <NA> <NA> 1 0 1 <NA> <NA>
16 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
21 <NA> <NA> <NA> <NA> 1 0 0 <NA> <NA>
22 <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA> <NA>
IDPMAX IDPSNP IDQMIN COMMENTS
13 18.261 18.261 48.507 chr22:50315363_CA
14 <NA> <NA> <NA> chr22:50315363_CA
15 19.252 19.252 63.682 chr22:50315382_CG
16 <NA> <NA> <NA> chr22:50315382_CG
21 1.919 <NA> 60.697 chr22:50315971_CG
22 <NA> <NA> <NA> chr22:50315971_CG
```

6 Other operations

6.1 Create a SnpMatrix

The 'GT' element in the `FORMAT` field of the VCF represents the genotype. These data can be converted into a `SnpMatrix` object which can then be used with the functions offered in `snpStats` and other packages making use of the `SnpMatrix` class.

The `genotypeToSnpMatrix` function converts the genotype calls in `geno` to a `SnpMatrix`. No `dbSNP` package is used in this computation. The return value is a named list where 'genotypes' is a `SnpMatrix` and 'map' is a `DataFrame` with SNP names and alleles at each loci. The `ignore` column in 'map' indicates which variants were set to NA (missing) because they met one or more of the following criteria,

- variants with >1 ALT allele are set to NA
- only single nucleotide variants are included; others are set to NA
- only diploid calls are included; others are set to NA

See `?genotypeToSnpMatrix` for more details.

```
> res <- genotypeToSnpMatrix(vcf)
> res

$genotypes
A SnpMatrix with 5 rows and 10376 columns
Row names: HG00096 ... HG00101
Col names: rs7410291 ... rs114526001

$map
```

1. Introduction to *VariantAnnotation*

```
DataFrame with 10376 rows and 4 columns
  snp.names      allele.1      allele.2  ignore
<character> <DNAStringSet> <DNAStringSetList> <logical>
1    rs7410291          A          G    FALSE
2    rs147922003        C          T    FALSE
3    rs114143073        G          A    FALSE
4    rs141778433        C          T    FALSE
5    rs182170314        C          T    FALSE
...      ...          ...      ...      ...
10372 rs187302552        A          G    FALSE
10373 rs9628178         A          G    FALSE
10374 rs5770892         A          G    FALSE
10375 rs144055359       G          A    FALSE
10376 rs114526001       G          C    FALSE
```

In the map `DataFrame`, `allele.1` represents the reference allele and `allele.2` is the alternate allele.

```
> allele2 <- res$map[["allele.2"]]
> ## number of alternate alleles per variant
> unique(elementNROWS(allele2))

[1] 1
```

In addition to the called genotypes, genotype likelihoods or probabilities can also be converted to a `Snpmatrix`, using the `snpStats` encoding of posterior probabilities as byte values. To use the values in the 'GL' or 'GP' FORMAT field instead of the called genotypes, use the `uncertain=TRUE` option in `genotypeToSnpmatrix`.

```
> fl.gl <- system.file("extdata", "gl_chr1.vcf", package="VariantAnnotation")
> vcf.gl <- readVcf(fl.gl, "hg19")
> geno(vcf.gl)

List of length 3
names(3): GT DS GL

> ## Convert the "GL" FORMAT field to a Snpmatrix
> res <- genotypeToSnpmatrix(vcf.gl, uncertain=TRUE)
> res

$genotypes
A Snpmatrix with 85 rows and 9 columns
Row names: NA06984 ... NA12890
Col names: rs58108140 ... rs200430748

$map
DataFrame with 9 rows and 4 columns
  snp.names      allele.1      allele.2  ignore
<character> <DNAStringSet> <DNAStringSetList> <logical>
1  rs58108140          G          A    FALSE
2  rs189107123         C          T    TRUE
3  rs180734498         C          T    FALSE
4  rs144762171         G          T    TRUE
5  rs201747181         TC         T    TRUE
```


1. Introduction to *VariantAnnotation*

```
6 rs151276478          T          TRUE
7 rs140337953          G          T        FALSE
8 rs199681827          C          TRUE
9 rs200430748          G          TRUE

> t(as(res$genotype, "character"))[c(1,3,7), 1:5]
      NA06984  NA06986  NA06989  NA06994  NA07000
rs58108140 "Uncertain" "Uncertain" "A/B"      "Uncertain" "Uncertain"
rs180734498 "Uncertain" "Uncertain" "Uncertain" "Uncertain" "Uncertain"
rs140337953 "Uncertain" "Uncertain" "Uncertain" "Uncertain" "Uncertain"

> ## Compare to a SnpMatrix created from the "GT" field
> res.gt <- genotypeToSnpMatrix(vcf.gl, uncertain=FALSE)
> t(as(res.gt$genotype, "character"))[c(1,3,7), 1:5]
      NA06984 NA06986 NA06989 NA06994 NA07000
rs58108140 "A/B"  "A/B"  "A/B"  "A/A"  "A/A"
rs180734498 "A/B"  "A/A"  "A/A"  "A/A"  "A/B"
rs140337953 "B/B"  "B/B"  "A/B"  "B/B"  "A/B"

> ## What are the original likelihoods for rs58108140?
> geno(vcf.gl)$GL["rs58108140", 1:5]

$NA06984
[1] -4.70 -0.58 -0.13

$NA06986
[1] -1.15 -0.10 -0.84

$NA06989
[1] -2.05  0.00 -3.27

$NA06994
[1] -0.48 -0.48 -0.48

$NA07000
[1] -0.28 -0.44 -0.96
```

For variant rs58108140 in sample NA06989, the "A/B" genotype is much more likely than the others, so the `SnpMatrix` object displays the called genotype.

6.2 Write out VCF files

A VCF file can be written out from data stored in a `VCF` class.

```
> fl <- system.file("extdata", "ex2.vcf", package="VariantAnnotation")
> out1.vcf <- tempfile()
> out2.vcf <- tempfile()
> in1 <- readVcf(fl, "hg19")
> writeVcf(in1, out1.vcf)
> in2 <- readVcf(out1.vcf, "hg19")
> writeVcf(in2, out2.vcf)
> in3 <- readVcf(out2.vcf, "hg19")
```

1. Introduction to *VariantAnnotation*

```
> identical(rowRanges(in1), rowRanges(in3))
[1] TRUE
> identical(geno(in1), geno(in2))
[1] TRUE
```

7 Performance

Targeted queries can greatly improve the speed of data input. When all data from the file are needed define a `yieldSize` in the `TabixFile` to iterate through the file in chunks.

```
readVcf(TabixFile(fl, yieldSize=10000))
```

`readVcf` can be used with a `ScanVcfParam` to select any combination of INFO and GENO fields, samples or genomic positions.

```
readVcf(TabixFile(fl), param=ScanVcfParam(info='DP', geno='GT'))
```

While `readvcf` offers the flexibility to define combinations of INFO, GENO and samples in the `ScanVcfParam`, sometimes only a single field is needed. In this case the lightweight `read` functions (`readGT`, `readInfo` and `readGeno`) can be used. These functions return the single field as a matrix instead of a `VCF` object.

```
readGT(fl)
```

The table below highlights the speed differences of targeted queries vs reading in all data. The test file is from 1000 Genomes and has 494328 variants, 1092 samples, 22 INFO, and 3 GENO fields and is located at <ftp://ftp-trace.ncbi.nih.gov/1000genomes/ftp/release/20101123/>. `yieldSize` is used to define chunks of 100, 1000, 10000 and 100000 variants. For each chunk size three function calls are compared: `readGT` reading only GT, `readVcf` reading both GT and ALT and finally `readVcf` reading in all the data.

```
library(microbenchmark)
fl <- "ALL.chr22.phase1_release_v3.20101123.snps_indels_svs.genotypes.vcf.gz"
ys <- c(100, 1000, 10000, 100000)

## readGT() input only 'GT':
fun <- function(fl, yieldSize) readGT(TabixFile(fl, yieldSize))
lapply(ys, function(i) microbenchmark(fun(fl, i), times=5))

## readVcf() input only 'GT' and 'ALT':
fun <- function(fl, yieldSize, param)
  readVcf(TabixFile(fl, yieldSize), "hg19", param=param)
param <- ScanVcfParam(info=NA, geno="GT", fixed="ALT")
lapply(ys, function(i) microbenchmark(fun(fl, i, param), times=5))

## readVcf() input all variables:
fun <- function(fl, yieldSize) readVcf(TabixFile(fl, yieldSize), "hg19")
lapply(ys, function(i) microbenchmark(fun(fl, i), times=5))
```

1. Introduction to *VariantAnnotation*

n records	readGT	readVcf (GT and ALT)	readVcf (all)
100	0.082	0.128	0.501
1000	0.609	0.508	5.878
10000	5.972	6.164	68.378
100000	78.593	81.156	693.654

Table 2: Targeted queries (time in seconds)

8 References

Wang K, Li M, Hakonarson H, (2010), ANNOVAR: functional annotation of genetic variants from high-throughput sequencing data. *Nucleic Acids Research*, Vol 38, No. 16, e164.

McLaren W, Pritchard B, RiosD, et. al., (2010), Deriving the consequences of genomic variants with the Ensembl API and SNP Effect Predictor. *Bioinformatics*, Vol. 26, No. 16, 2069-2070.

SIFT home page : <http://sift.bii.a-star.edu.sg/>

PolyPhen home page : <http://genetics.bwh.harvard.edu/pph2/>

9 Session Information

```
R version 4.2.1 (2022-06-23)
Platform: x86_64-pc-linux-gnu (64-bit)
Running under: Ubuntu 20.04.4 LTS

Matrix products: default
BLAS: /home/biocbuild/bbs-3.16-bioc/R/lib/libRblas.so
LAPACK: /home/biocbuild/bbs-3.16-bioc/R/lib/libRlapack.so

locale:
 [1] LC_CTYPE=en_US.UTF-8      LC_NUMERIC=C
 [3] LC_TIME=en_GB            LC_COLLATE=C
 [5] LC_MONETARY=en_US.UTF-8  LC_MESSAGES=en_US.UTF-8
 [7] LC_PAPER=en_US.UTF-8     LC_NAME=C
 [9] LC_ADDRESS=C             LC_TELEPHONE=C
[11] LC_MEASUREMENT=en_US.UTF-8 LC_IDENTIFICATION=C

attached base packages:
[1] stats4      stats      graphics  grDevices  utils      datasets
[7] methods    base

other attached packages:
[1] snpStats_1.47.1
[2] Matrix_1.4-1
[3] survival_3.4-0
[4] PolyPhen.Hsapiens.dbSNP131_1.0.2
```

1. Introduction to *VariantAnnotation*

```
[5] RSQLite_2.2.15
[6] BSgenome.Hsapiens.UCSC.hg19_1.4.3
[7] TxDb.Hsapiens.UCSC.hg19.knownGene_3.2.2
[8] GenomicFeatures_1.49.5
[9] AnnotationDbi_1.59.1
[10] ggplot2_3.3.6
[11] SNPlocs.Hsapiens.dbSNP144.GRCh37_0.99.20
[12] BSgenome_1.65.2
[13] rtracklayer_1.57.0
[14] VariantAnnotation_1.43.3
[15] Rsamtools_2.13.3
[16] Biostrings_2.65.1
[17] XVector_0.37.0
[18] SummarizedExperiment_1.27.1
[19] Biobase_2.57.1
[20] GenomicRanges_1.49.0
[21] GenomeInfoDb_1.33.5
[22] IRanges_2.31.0
[23] S4Vectors_0.35.1
[24] MatrixGenerics_1.9.1
[25] matrixStats_0.62.0
[26] BiocGenerics_0.43.1
```

loaded via a namespace (and not attached):

```
[1] bitops_1.0-7           bit64_4.0.5
[3] filelock_1.0.2        progress_1.2.2
[5] httr_1.4.3            tools_4.2.1
[7] utf8_1.2.2           R6_2.5.1
[9] DBI_1.1.3             colorspace_2.0-3
[11] withr_2.5.0           tidyselect_1.1.2
[13] prettyunits_1.1.1    bit_4.0.4
[15] curl_4.3.2            compiler_4.2.1
[17] cli_3.3.0             xml2_1.3.3
[19] DelayedArray_0.23.1  labeling_0.4.2
[21] scales_1.2.0          rappdirs_0.3.3
[23] stringr_1.4.0         digest_0.6.29
[25] rmarkdown_2.14        pkgconfig_2.0.3
[27] htmltools_0.5.3      dbplyr_2.2.1
[29] fastmap_1.1.0        rlang_1.0.4
[31] BiocIO_1.7.1         generics_0.1.3
[33] farver_2.1.1         BiocParallel_1.31.12
[35] dplyr_1.0.9          RCurl_1.98-1.8
[37] magrittr_2.0.3       GenomeInfoDbData_1.2.8
[39] Rcpp_1.0.9           munsell_0.5.0
[41] fansi_1.0.3          lifecycle_1.0.1
[43] stringi_1.7.8        yaml_2.3.5
[45] zlibbioc_1.43.0      BiocFileCache_2.5.0
[47] grid_4.2.1           blob_1.2.3
[49] parallel_4.2.1       crayon_1.5.1
[51] lattice_0.20-45      splines_4.2.1
[53] hms_1.1.1            KEGGREST_1.37.3
```

1. Introduction to *VariantAnnotation*

```
[55] knitr_1.39           pillar_1.8.0
[57] rjson_0.2.21         codetools_0.2-18
[59] biomaRt_2.53.2      XML_3.99-0.10
[61] glue_1.6.2          evaluate_0.16
[63] BiocManager_1.30.18 png_0.1-7
[65] vctrs_0.4.1         gtable_0.3.0
[67] purrr_0.3.4         assertthat_0.2.1
[69] cachem_1.0.6        xfun_0.32
[71] restfulr_0.0.15     tibble_3.1.8
[73] GenomicAlignments_1.33.1 memoise_2.0.1
[75] ellipsis_0.3.2      BiocStyle_2.25.0
```