

Package ‘tenXplore’

September 25, 2022

Title ontological exploration of scRNA-seq of 1.3 million mouse neurons from 10x genomics

Description

Perform ontological exploration of scRNA-seq of 1.3 million mouse neurons from 10x genomics.

Version 1.18.1

Author Vince Carey

Suggests org.Hs.eg.db, testthat, knitr, rmarkdown

Depends R (>= 4.0), shiny, restfulSE (>= 0.99.12)

Imports methods, ontoProc (>= 0.99.7), SummarizedExperiment, AnnotationDbi, matrixStats, org.Mm.eg.db, stats, utils

Maintainer VJ Carey <stvjc@channing.harvard.edu>

License Artistic-2.0

LazyLoad yes

biocViews ImmunoOncology, DimensionReduction, PrincipalComponent, Transcriptomics, SingleCell

VignetteBuilder knitr

RoxygenNote 7.2.1

git_url <https://git.bioconductor.org/packages/tenXplore>

git_branch RELEASE_3_15

git_last_commit 0a807d0

git_last_commit_date 2022-08-31

Date/Publication 2022-09-25

R topics documented:

| | |
|-----------|---|
| CellTypes | 2 |
| tenx500 | 2 |
| tenXplore | 3 |

| | |
|--------------|----------|
| Index | 4 |
|--------------|----------|

| | |
|-----------|---|
| CellTypes | <i>cellTypes: data.frame with ids and terms</i> |
|-----------|---|

Description

cellTypes: data.frame with ids and terms

Usage

```
CellTypes
```

Format

TermSet instance

Source

efo.owl, August 2017, subclasses of http://www.ebi.ac.uk/efo/EFO_0000324

Examples

```
data(CellTypes)
head(slot(CellTypes, "cleanFrame"))
```

| | |
|---------|--|
| tenx500 | <i>tenx500: serialized full SummarizedExperiment for demonstration</i> |
|---------|--|

Description

tenx500: serialized full SummarizedExperiment for demonstration

Usage

```
tenx500
```

Format

SummarizedExperiment instance

Source

restfulSE se1.3M pared down to 500 samples, assay materialized and assigned

Examples

```
data(tenx500)
tenx500
```

| | |
|-----------|--|
| tenXplore | <i>basic shiny interface to 10x data with ontological setup for cell selection</i> |
|-----------|--|

Description

basic shiny interface to 10x data with ontological setup for cell selection

Usage

```
tenXplore()
```

Value

shiny app invocation

Note

Starts slowly as it sets up connection to HDF Server.

Examples

```
tenXplore
```

Index

* datasets

CellTypes, [2](#)

tenx500, [2](#)

CellTypes, [2](#)

tenx500, [2](#)

tenXplore, [3](#)